

**DEFINITE INTEGRAL****❖ PRACITCE QUESTION****Very Short (Objective Type) / Short Answer Type**1. If  $a$  is such that  $\int_0^a x \, dx \leq a + 4$ , then

- (a)  $0 \leq a \leq 4$                       (b)  $-2 \leq a \leq 0$   
(c)  $a \leq -2$  or  $a \leq 4$               (d)  $-2 \leq a \leq 4$

2. If  $\int_1^4 f(x) \, dx = 4$  and  $\int_2^4 (3 - f(x)) \, dx = 7$ , then the value of  $\int_1^2 f(x) \, dx$  is \_\_\_\_\_.**Evaluate the following integrals in Exercises 3 to 7:**

3.  $\int_0^1 (2x)/(1 + x^2) \, dx$

4.  $\int_2^3 (1/x) \, dx$                       [Delhi 2012]

5.  $\int_0^3 (dx)/(9 + x^2)$                       [Delhi 2014]

6.  $\int_0^{\pi/2} \cos 3x \cos 2x \, dx$

7.  $\int_0^1 (e^x)/(1 + e^{2x}) \, dx$

8. If  $\int_0^1 (3x^2 + 2x + k) \, dx = 0$ , find the value of  $k$ .**Long Answer I / Long Answer II Type****Evaluate the following integrals in Exercises 9 to 22:**

9.  $\int_0^{\pi/4} (\sin x + \cos x)/(9 + 16 \sin 2x) \, dx$                       [NCERT; DoE]

10.  $\int_1^2 (1)/(x(1 + \log x)^2) \, dx$                       [Foreign 2014, 2011]

11.  $\int_0^a \sqrt{a^2 - x^2} \, dx$

# LOYAL EDUCATION MATHEMATICS

Result Oriented

( DAILY PRACTICE PAPER )

[ CLASS XII ]

12.  $\int_0^1 x \sin^{-1} x \, dx$

13.  $\int_0^1 x/(1 + x^4) \, dx$

14.  $\int_0^{\pi/4} 1/(1 + \tan x) \, dx$

15.  $\int_0^1 \tan^{-1}(2x/(1 - x^2)) \, dx$

16.  $\int_0^1 x \log(1 + 2x) \, dx$

17.  $\int_0^{\pi/2} e^x((1 - \sin x)/(1 - \cos x)) \, dx$

18.  $\int_0^{\pi/4} \sin x \cos x/(\cos^2 x + \sin^4 x) \, dx$

19.  $\int_0^{\pi/2} \sin 2x \tan^{-1}(\sin x) \, dx$

20.  $\int_0^1 dx/(e^x + e^{-x})$

21.  $\int_0^{\pi/4} dx/(\cos^3 x \sqrt{2} \sin 2x)$

22.  $\int_0^{\pi/2} dx/(a^2 \cos^2 x + b^2 \sin^2 x)$

\* VERY SHORT (OBJECTIVE TYPE) / SHORT ANSWER TYPE QUESTION

1.  $\int_{-1}^1 (x^3/x^3 + 1) \, dx$  is equal to \_\_\_\_\_.

2.  $\int_a^{2a} f(x) \, dx = 2 \int_a^{2a-x} f(x) \, dx$  if  $f(2a-x) = f(x)$ . State true or false.

3.  $\int_0^{\pi/2} (\sqrt[3]{\sin x} / \sqrt[3]{\sin x} + \sqrt[3]{\cos x}) \, dx = a * \pi/2$ , then value of a is \_\_\_\_.

4. Evaluate  $\int_{\pi/2}^{-\pi/2} \sin^5 x \, dx$

5. Evaluate  $\int_{-1/2}^{1/2} \cos x \log(1+x/1-x) \, dx$

6. Evaluate  $\int_{-1}^1 x^3/(1+x^2) \, dx$  [HOTS]

7. Evaluate  $\int_{-\pi/4}^{\pi/4} x^3 \sin^4 x \, dx$

8. Evaluate  $\int_{-1}^1 |x| dx$
9. Evaluate:  $\int_0^{2\pi} \cos^5 x dx$
10. Evaluate  $\int_0^{\pi/2} \log(\tan x) dx$
11. Evaluate  $\int_0^1 [2x] dx$
12. Evaluate  $\int_1^4 f(x) dx$ , where  
 $f(x) = \{2x+8, 1 \leq x \leq 2; 6x, 2 \leq x \leq 4\}$
13. Evaluate  $\int_{-1}^1 \log |(2+3x) / (2-3x)| dx$

**Long Answer I / Long Answer II Type**

14. Evaluate  $\int_0^{\pi} (e^{\cos x} / (e^{\cos x} + e^{-\cos x})) dx$
15. Evaluate  $\int_0^1 \cot^{-1}(1-x+x^2) dx$
16. Evaluate  $\int_{-1}^2 |x^3 - x| dx$  [NCERT; Delhi, 2016; AI 2012]
17. Evaluate  $\int_0^{\pi} (x \tan x) / (\sec x \operatorname{cosec} x) dx$
18. Evaluate  $\int_0^{\pi/2} \log(\sin x) dx$
19. Evaluate  $\int_0^{\pi} (x / (a^2 \cos^2 x + b^2 \sin^2 x)) dx$
20. Evaluate  $\int_0^1 \log(1+x) / (1+x^2) dx$
21. Evaluate  $\int_0^{\pi} x \tan x / (\sec x + \tan x) dx$ .
22. Evaluate  $\int_0^{\pi/2} (2 \log \sin x - \log \sin 2x) dx$  [NCERT: DoE]
23. Evaluate  $\int_0^1 \log((1-x)/x) dx$  OR  $\int_0^1 \log(1/x - 1) dx$
24. Evaluate  $\int_0^{2\pi} 1 / (1+e^{\sin x}) dx$

# LOYAL EDUCATION MATHEMATICS

Result Oriented

( DAILY PRACTICE PAPER )

[ CLASS XII ]

25. Prove that  $\int_0^{\pi/4} \log(1+\tan \theta) d\theta = (\pi/8) \log 2$

26. Evaluate  $\int_0^2 |x^2 + 2x - 3| dx$

27. Evaluate  $\int_0^1 \log x / \sqrt{(1-x^2)} dx$

28. Evaluate:  $\int_0^{-3/2} |x \sin \pi x| dx$

29. Evaluate  $\int_{\pi/6}^{\pi/3} dx / (1 + \sqrt{\cot x})$

30. Evaluate  $\int_1^3 |x^3 - x| dx$

31. Evaluate  $\int_0^{\pi/2} x \sin x \cos x / (\sin^4 x + \cos^4 x) dx$

36. Prove that  $\int_0^a f(x) dx = \int_0^a f(a-x) dx$  and hence, prove that  
 $\int_0^{\pi/2} (\sin x / (\sin x + \cos x)) dx = \pi/4$

## \* PRACTICE QUESTION

### ❖ Very Short (Objective Type) / Short Answer Type

1. If  $\int_0^1 (1 / (1 + 4x^2)) dx = \pi/8$ , then  $a = \underline{\hspace{2cm}}$ .
2.  $\int_{-1}^0 |(1-x)| dx$  is equal to  $\underline{\hspace{2cm}}$ .
3.  $\int_{-\pi/2}^{\pi/2} (\sqrt{\cos x} - \cos^3 x) dx$  is equal to 0. State true or false.
4. The value of  $\int_0^{\pi} |\cos x| dx$  is 2. State true or false.
5. The value of  $\int_{-\pi}^{\pi} \sin^3 x \cos^2 x dx$  is  $\underline{\hspace{2cm}}$ .

Evaluate the following integrals in Exercises 6 to 15:

6.  $\int_{-\pi}^{\pi} (\sin -93x + x^{295}) dx$
7.  $\int_{-\pi/2}^{\pi/2} \log |(2 - \sin x) / (2 + \sin x)| dx$
8.  $\int_{-\pi/4}^{\pi/4} |\sin x| dx$  [DoE]
9.  $\int_0^{\pi/2} ((\sin x - \cos x) / (1 + \sin x \cos x)) dx$
10.  $\int_1^e \log x . dx$
11.  $\int_0^1 x(1-x)^{89} dx$
12.  $\int_0^a (f(x) / (f(x) + f(a-x))) dx$  [Dehradun 2019]

# LOYAL EDUCATION MATHEMATICS

Result Oriented (DAILY PRACTICE PAPER) [DoE]

[ CLASS XII ]

15.  $\int_0^\pi |\cos x| dx$  [DoE]

## ❖ Long Answer 1 / Long Answer II Type

Evaluate the following integrals in Exercises 16 to 28:

16.  $\int_0^{3/2} |x \cos \pi x| dx$  [AI 2016; Patna 2015]

17.  $\int_1^4 (|x - 1| + |x - 2| + |x - 4|) dx$

18.  $\int_{-5}^5 |x + 2| dx$

19.  $\int_{-1}^{3/2} |x \sin \pi x| dx$  [NCERT; DoE]

20.  $\int_{-\pi}^\pi (\cos ax - \sin bx)^2 dx$  [Delhi 2015]

21.  $\int_0^{\pi/2} x \cot x dx$  [HOTS]

22.  $\int_{\pi/6}^{\pi/3} (1 / (1 + \sqrt{\tan x})) dx$  [DoE; HOTS]

23.  $\int_0^8 |x - 5| dx$

24.  $\int_2^8 3\sqrt{x+1} / 3\sqrt{x+1} + 3\sqrt{11-x} dx$

25.  $\int_{-\pi/2}^{\pi/2} [\sin|x| - \cos|x|] dx$  [DoE]

26.  $\int_0^{\pi/2} \sqrt{\cot x} / \sqrt{\cot x + \tan x} dx$  [NCERT]

27.  $\int_0^\pi x \sin x / 1 + \cos 2x dx$

[NCERT; DoE; Delhi 2017(C), AI 2013, 12]

28.  $\int_0^\pi x / 1 + \sin x dx$  [NCERT; NCERT Exemplar; DoE]

## \* INTEGRATED EXERCISE

### ❖ Very Short (Objective Type) / Short Answer Type

1.  $\int (1/x^2(x^4+1)^{3/4}) dx$  is equal to

(a)  $-(1 + 1/x^4)^{1/4} + C$

(b)  $(x^4+1)^{3/4} + C$

(c)  $(1 - 1/x^4)^{1/4} + C$

(d)  $-(1 + 1/x^4)^{3/4} + C$

2.  $\int xe^x/(1+x)^2 dx$  is equal to

(a)  $e^x/x+1 + C$

(b)  $e^x(x+1) + C$

(c)  $-e^x/(x+1)^2 + C$

(d)  $e^x/1+x^2 + C$

# LOYAL EDUCATION MATHEMATICS

Result Oriented

( DAILY PRACTICE PAPER )

[ CLASS XII ]

3. If  $\int 2^x / \sqrt{1-4^x} dx = p \sin^{-1}(2^x) + C$ , then 'p' is equal to  
(a)  $\log_e 2$   
(b)  $1/2 \log_e 2$   
(c)  $1/2$   
(d)  $1/\log_e 2$
4. The value of integral  $\int_{(\pi/4,0)} (\sin x + \cos x)/(9+16 \sin 2x) dx$  is  
(a)  $\log 2$   
(b)  $1/20 \log 2$   
(c)  $1/20 \log 3$   
(d)  $\log 5$
5. The value of integral  $\int_{(1/2,1)} \cos x \cdot \log((1+x)/(1-x)) dx$  is  
(a) 0            (b)  $1/2$             (c)  $3/2$             (d) none of these
6. If  $[x]$  denotes the greatest integer less than or equal to  $x$ , then the value of the integral  $\int_{(2,0)} x^2 [x] dx$  is \_\_\_\_\_ .
7.  $\int_1^3 \sqrt{x} / [\sqrt{(6-x)+\sqrt{x}}] dx$  is equal to 2. State true or false.

Evaluate the following in Exercises 8 to 19:

8.  $\int_0^{\pi/2} \sin 2x dx$  [Foreign 2014]  
<https://loyaleducation.org>
9.  $\int e^x / (1 + e^{(2x)}) dx$
10.  $\int x / \sqrt{x+2} dx$
11.  $\int 1 / (\cos^2 x (1 - \tan x)^2) dx$
12.  $\int \tan^{-1}(\cot x) dx$  [HOTS]
13.  $\int \cos 3x \cos x dx$
14.  $\int \sin 3x \sin 2x dx$
15.  $\int_2^4 x / x^2 + 1 dx$  [AI 2014]

# LOYAL EDUCATION MATHEMATICS

Result Oriented

( DAILY PRACTICE PAPER )

[ CLASS XII ]

16.  $\int e^2 / x \log x \, dx$  [AI 2014]

17.  $\int_0^\pi (\sin^2 x/2 - \cos^2 x/2) \, dx$  [NCERT]

18.  $\int_{-\pi}^\pi x^{10} \sin^7 x \, dx$

19.  $\int \{ \sin(\log x) + \cos(\log x) \} \, dx$

20. Given  $\int e^x(\tan x + 1) \sec x \, dx = e^x f(x) + C$ . Write the value of  $f(x)$ .

[AI 2012]

21. If  $\int ((x-1)/x^2)e^x \, dx = f(x)e^x + C$ , then write the value of  $f(x)$ .

[Foreign 2014]

22. If  $\int_0^a 3x^2 \, dx = 8$  write the value of  $a$ . [Foreign 2014]

❖ Long Answer I / Long Answer II Type

Evaluate the following in Exercises 23 to 83:

23.  $\int dx / (\sqrt{2x+1} + \sqrt{2x+2}) \, dx$

24.  $\int 1 / (\sin(x-p)\cos(x-q)) \, dx$

25.  $\int \sin x / \sin(x-a) \, dx$

26.  $\int (x+3) \sqrt{3-4x-x^2} \, dx$  [Delhi 2015]

27.  $\int dx / (\sin x + \sin 2x)$  [Delhi 2015]

28.  $\int (1-\cos x) / (\cos x (1+\cos x)) \, dx$  [Chennai 2015]

29.  $\int x(\log x)^2 \, dx$  [NCERT]

30.  $\int (\sin^8 x - \cos^8 x) / (1-2 \sin^2 x \cos^2 x) \, dx$  [NCERT]

31.  $\int (\sin^6 x + \cos^6 x) / (\sin^2 x \cos^2 x) \, dx$

[NCERT Exemplar; DoE; Delhi 2014]

32.  $\int \sin^3 x \cos^3 x \, dx$

# LOYAL EDUCATION MATHEMATICS

Result Oriented

( DAILY PRACTICE PAPER )

[ CLASS XII ]

33.  $\int dx / x(x^5 + 2)$

34.  $\int 1 / x(x^4 + 1) dx$  [NCERT; HOTS]

35.  $\int_0^{\pi/2} (\sin x + \cos x) / (3 + \sin 2x) dx$  [Ajmer 2015]

36.  $\int e^x (\sin^{-1} x + 1 / \sqrt{1-x^2}) dx$

37.  $\int \log (1+x^2) dx$

38.  $\int x \tan^{-1} x dx$  [NCERT]

39.  $\int 1 / (\cos(x+a) \cos(x+b)) dx$

40.  $\int (x^2 + 1) / ((x^2 + 4)(x^2 + 25)) dx$  [Delhi 2013]

41.  $\int e^x (\sec x + \sec x \tan x) dx$  [NCERT; HOTS]

42.  $\int (x^2-3x+1) / \sqrt{1-x^2} dx$  [Delhi 2015]

43.  $\int 2x / ((1+x^2)(3+x^2)) dx$  [NCERT]

44.  $\int 1 / (1 + \cot x) dx$  [NCERT]

45.  $\int 1 / x^3(x^4+1)^{3/4} dx$

46.  $\int \tan^5 x \sec^4 x dx$  [NCERT Exemplar]

47.  $\int \cos 2x / (\cos x + \sin x)^2 dx$  [NCERT]

48.  $\int_0^{\pi/2} \cos^2 x / (1 + 3 \sin^2 x) dx$  [Ajmer 2015]

49.  $\int_{-\pi/2} \cos x / (1 + e^x) dx$

50.  $\int \sqrt{(a-x)/(a+x)} dx$

51.  $\int \sqrt{\cot x} dx$

# LOYAL EDUCATION MATHEMATICS

Result Oriented

( DAILY PRACTICE PAPER )

[ CLASS XII ]

52.  $\int e^x(\log x + 1/x) dx$

53.  $\int [\log(\log x) + 1/(\log x)^2] dx$

[NCERT; Bhubaneswar]

54.  $\int \sin^{-1}(2x/(1 + x^2)) dx$

[NCERT]

55.  $\int 1/(\cos^4 x + \sin^4 x) dx$

[AIMS]

56.  $\int_0^{\pi/2} \sin 2\theta/(\sin^4 \theta + \cos^4 \theta) d\theta$

[IIT]

57.  $\int_0^{\pi/2} \sqrt{\sin \varphi} \cos^5 \varphi d \varphi.$

[NCERT; HOTS]

58.  $\int 1/(\sin^4 x + \sin^2 x \cos^2 x + \cos^4 x) dx$

[AIIMS]

59.  $\int x \cos^{-1} x / \sqrt{1 - x^2} dx$

[MET]

60.  $\int \log x/(x + 1)^2 dx$

[AIMS]

61.  $\int (3x - 2)\sqrt{(x^2 + x + 1)} dx$

[Foreign 2015]

62.  $\int e^{2x} \sin(3x + 1) dx$

[Foreign 2015]

63.  $\int (\sqrt{\cot x} + \sqrt{\tan x}) dx$

[NCERT: Patna 2015]

64.  $\int (x^3 - 1)/(x^3 + x) dx$

[Patna 2015]

65.  $\int \cos^{-1} (\sin x) dx$

[Delhi 2014]

66.  $\int_0^{\pi/2} e^x (\sin x - \cos x) dx$

[Delhi 2014]

67.  $\int_0^{\pi/2} e^x / (x \log x) dx$

[AI 2014]

68.  $\int_0+ 2^{\sin x}/(2^{\sin x} + 2^{\cos x}) dx$

[Patna 2015]

69.  $\int_0^1 x e^{(x^2)} dx$

[NCERT; Foreign 2014]

# LOYAL EDUCATION MATHEMATICS

Result Oriented

( DAILY PRACTICE PAPER )

[ CLASS XII ]

70.  $\int_{-1}^2 f(x) dx$ , where  $f(x) = |x + 1| + |x| + |x - 1|$

[NCERT Example]

71.  $\int \sqrt{1+x^2} dx$

[Panchkula 2015]

72.  $\int (x+3)e^x / (x+5)^2 dx$

[NCERT Exemplar]

73.  $\int_0^\pi x \sin x \cos^2 x dx$

[NCERT]

74.  $\int_0^{\pi/2} \sin^{3/2} x / \sin^{3/2} x + \cos^{3/2} x dx$

[NCERT]

75.  $\int_0^1 [x] dx$

[NCERT: HOTS]

76.  $\int_0^1 x(1-x)^n dx$

77.  $\int_0^{\pi/4} \sec x / 1 + 2 \sin^2 x dx$

[Guwahati 2015]

78.  $\int_0^{\pi/4} (1 - \sin 2x) / 1 - \cos 2x dx$

[Guwahati 2015]

79.  $\int_0^{\pi/2} 5 \sin x + 3 \cos x / \sin x + \cos x dx$

[Bhubneshwar 2015]

80.  $\int x / 1 + \tan x dx$

[Bhubneshwar 2015]

81.  $\int \sin x - x \cos x / x(x + \sin x) dx$

[Ajmer 2015]

82.  $\int_0^\pi \sin^2 x / \sin x + \cos x dx$

[NCERT Exemplar; AI 2016; Panchkula 2015]

83.  $\int \operatorname{cosec}^3 x dx$

[HOTS]

84. Evaluate  $\int_1^3 (2x^2 + x + 9) dx$  as the limit of a sum. [HOTS]

85. Evaluate  $\int_0^2 (x^2 + e^{(2x)} + 1) dx$  as the limit of a sum.

[Chennai 2015]

86.  $\int_{-1}^2 (e^3 x + 7x - 5) dx$  as a limit of sums. [Panchkula 2015]

87. Evaluate  $\int_1^3 (e^{(-3x)} + x^2 + 1) dx$  as a limit of sums. [Delhi 2015]

88. Prove that  $\int_0^1 \sqrt{1-x} / 1+x dx = \pi/2 - 1$ .

# LOYAL EDUCATION MATHEMATICS

Result Oriented

( DAILY PRACTICE PAPER )

[ CLASS XII ]

89. If  $\int_0^a \frac{1}{4+x^2} dx = \pi/8$ , find the value of a. [AI 2014]

90. Prove that  $\int_0^\pi x \sin x / 1 + \sin x dx = \pi(\pi - 2)$ .

\*\*\*\*\*



LOYAL Education  
<https://loyaleducation.org>